



MANUAL GLASS CUTTING TABLES (SMART TOOLS)

USER MANUAL- KULLANICI EL KİTABI



SOYTAŞ ALÜMİNYUM AKSESUAR CAM PLASTİK MERMER SAN. TİC. LTD. ŞTİ.

GENERAL INFORMATION

LOGIN

User manual provided by the manufacturer includes the necessary information for the machine parts. This information carefully read all staff to use the machine , the machine operation is required after the reading .

For many years the machine will read exactly the information in a safe and efficient operation of the instruction manual and understanding . technical drawings in the hand guide and represent guidelines for details users.

INFORMATION ABOUT THE MANUFACTURER



* When there is any problem you have any requests for assistance and spare parts orders above please telephone, fax or e-mail address , please contact us.

* Defining the technical Makinamodel riveted labels fitted on the machine .

* The machine serial number and date of manufacture printed on the technical label.

The average lifetime of the product for 10 years. Notify any failures related to the product and technical service to our address the following complaints orally and in writing .

AUTHORIZED SERVICE CENTER ADDRESS:

All kinds of machinery to be in correspondence with the dealers or manufacturers that take the machine on is important to minimize the action to be taken to inform the following information.

Hastane Mah. Hadımköy İstanbul Cad. No:12 (Hadımköy)

34555/Arnavutköy-İSTANBUL/ TÜRKİYE

Tel: 0212 858 22 22 Pbx.

Fax: 0212 858 21 22

e-mail: info@soytasgroup.com

web: <http://www.soytasgroup.com>

* The machine serial number

* Voltage and frequency information

* Machine model

* Average daily working time

* The information that dealers purchased Machine

* Machine on the date of purchase

WARRANTY CONDITIONS

1. Garant period starts from the date the property and 2 years.

2. Entirety, including all parts of the product is covered by our warranty.

3. In case of malfunction within the warranty period for the product is added to the warranty period repair . Product repair period is up to 30 business days. This time the service station for product defects , the seller of the product in the absence of the service station , dealer agent, representative , importer from the date of the notification from one or manufacturer. In case of failure can not be resolved within 15 working days of the industrial product , the manufacturer or importer ; until complete repair of the product , it has to be allocated to the consumer another industrial product having similar properties.

4. Materials and labor needed within the warranty period for the product as well as labor costs in the case of malfunction due to assembly errors , replaced parts cost or no cost under any other name without the repair will be made.

5. Product;

- Stay within the specified warranty period from the date of delivery to the consumer with the registration within 1 year ; the same fault more than two repeated or a different breakdown of more than four occur or specified warranty period as well as the element of not more than six of the total of different failures in order , the inability to consistently make it to benefit from the product of these failures ,

- Exceeding the maximum time required for the repair ,

- Service stations , vendors , respectively, in the absence of the service station, dealer , agent , representative, importer or manufacturer - producer of the determination that there is no possibility of any repair of the report will organize, in case of consumer products, free replacement , the refund or you can request a loss by cost reductions .

6. Failure resulting from the use contrary to sweat the matters in the instruction manual of the product is out of warranty .

SOYTAŞ ALÜMİNYUM AKSESUAR CAM PLASTİK MERMER SAN. TİC. LTD. ŞTİ.

WARRANTY DOCUMENT

COMPANY: SOYTAŞ ALÜMİNYUM AKSESUAR CAM PLASTİK MERMER SAN. TİC. LTD. ŞTİ.

ADDRESS :HASTANE MAH. HADIMKOY ISTANBUL CAD. NO: 12
ARNAVUTKOY/ISTANBUL-TURKEY

TELEPHONE : 0212 858 22 22 PBX
COMPANY AUTHORITY
SIGN AND SURGERY:

TYPE OF PROPERTY : **MANUAL GLASS CUTTING TABLES (SMART TOOLS)**

BRAND : PANAMACHINE

MODEL :

BANDROL AND SERIAL NO :

DELIVERY DATE AND PLACE:

WARRANTY PERIOD :

MAXIMUM REPAIR TIME : 30 WORK DAY

AUTHORIZED SELLER COMPANY

TITLE:

ADDRES :

TELEPHONE :

DATE-SIGNATURE-STAMP:

MACHINE DEFINITION AND USE

It is used to cut flat and shaped glass or soft coated glass. Cutting operations are done with diamond cutter.

CHARACTERISTICS

- Passing the table to the vertical position to load glass plates.
- Separation of cut glass with pneumatic controlled breaker bars.
- Airbag system for easy movement of glass plates.
- Electrical system suitable for general safety conditions.
- 2 armed rulers provide ease of use.

TECHNICAL CHARACTERISTICS

	MCKM - 2400
Total Length	3600 mm
Total Width	2700 mm
Total Height	900 mm
Weight	600 kg
Workable Glass Size	2400x3210
Total Power	50 Hz
Frequency	3380 = 400v 3 NPE AC
Air Pressure	6 bar



SOYTAŞ ALÜMİNYUM AKSESUAR CAM PLASTİK MERMER SAN. TİC. LTD.



